Gush Mints

NEW BLOOM LABS

Sample ID: 2510NBL1121.3140

Matrix: Plant

Type: Flower - Uncured

Sample Size:

Received: 10/29/2025 Completed: 10/31/2025 Expires: 10/31/2026 External Lot ID:

Batch#:

Client **FarmToMed**

Lic.# 502 N. Market St. Chattanooga, TN 37405

(423) 280-3392 farmtomed@gmail.com



Summary

Cannabinoids

Date Tested 10/29/2025

Result Complete

Complete

Cannabinoids

0.121%

Total THC

ND

Δ9-ΤΗС

2.981%

Total CBD

4.411%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0093	0.014	ND	ND
9R-HHC	0.0093	0.014	ND	ND
(6aR,9S)-d10-THC	0.0093	0.014	ND	ND
9S-HHC	0.0093	0.014	ND	ND
CBC	0.0093	0.014	ND	ND
CBCa	0.0093	0.014	0.194	1.94
CBD	0.0093	0.014	0.043	0.43
CBDa	0.0093	0.014	3.350	33.50
CBDV	0.0073	0.014	ND	ND
CBDVa	0.0073	0.014	ND	ND ND
CBG	0.0073	0.014	ND	ND
CBGa	0.0093	0.014	0.686	6.86
CBN	0.0093	0.014	ND	ND
CBNa	0.0093	0.014	ND	ND
Δ8-THC	0.0093	0.014	ND	ND
Δ9-THC	0.0093	0.014	ND	ND _
THCa	0.0093	0.014	0.138	1.38
THCp	0.0093	0.014	ND	ND
THCV	0.0093	0.014	ND	ND
THCVa	0.0093	0.014	ND	ND
Total THC			0.121	1.213
Total CBD			2.981	29.806
Total			4.411	44.107

Date Tested: 10/29/2025

Testing Method: HPLC, CON-P-3000

Total THC = THCa*0.877 + Δ9-THC; Total CBD = CBDa*0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected

Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%



Ashley Phillips

Laboratory Director

10/31/2025

Confident LIMS All Rights Reserved coa. support@confident lims.com(866) 506-5866 www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of New Bloom Labs. Filth and Foreign Testing Method - CON-P-11000