New Bloom Labs

Certificate of Analysis

FarmToMed
3874 Hixson Pike
Chattanooga, TN 37405
farmtomed@gmail.com
423-280-3392

Sample: 12-04-2023-42541
Sample Received:12/04/2023;
Report Created: 12/20/2023; Expires: 12/04/2024

Citrus Fruity Body Butter #0003
Topical



0.258 % Total THC	0.065 % Δ-9 THC
0.559 % Total Cannabinoids	0.244 % Total CBD

Cannabinoids

Complete

(Testing Method:HPLC, CON-P-3000)
Date Tested: 12/04/2023

Analyte	LOD %	LOQ %	Mass %	Mass mg/g
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0101	0.0151	ND	ND
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0101	0.0151	**0.065**	**0.645**
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0101	0.0151	**0.221**	**2.211**
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.0101	0.0151	ND	ND
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0101	0.0151	ND	ND
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0101	0.0151	ND	ND
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0101	0.0151	ND	ND
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0101	0.0151	ND	ND
9R-Hexahydrocannabinol (9R-HHC)	0.0101	0.0151	ND	ND
9S-Hexahydrocannabinol (9S-HHC)	0.0101	0.0151	ND	ND
Tetrahydrocannabinol Acetate (THCO)	0.0101	0.0151	ND	ND
Cannabidivarin (CBDV)	0.0101	0.0151	ND	ND
Cannabidivarinic Acid (CBDVA)	0.0101	0.0151	ND	ND
Cannabidiol (CBD)	0.0101	0.0151	**0.038**	**0.376**
Cannabidiolic Acid (CBDA)	0.0101	0.0151	**0.236**	**2.358**
Cannabigerol (CBG)	0.0101	0.0151	ND	ND
Cannabigerolic Acid (CBGA)	0.0101	0.0151	<LOQ	<LOQ
Cannabinol (CBN)	0.0101	0.0151	ND	ND
Cannabinolic Acid (CBNA)	0.0101	0.0151	ND	ND
Cannabichromene (CBC)	0.0101	0.0151	ND	ND
Cannabichromenic Acid (CBCA)	0.0074	0.0151	<LOQ	<LOQ
Total			**0.559**	**5.590**

Total THC = THCa * 0.877 + Δ9-THC;Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
Total CBD Measurement of Uncertainty: ± 2.000%
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

New Bloom Labs
6121 Heritage Park Drive, A500
Chattanooga, TN 37416
(844) 837-8223
TN DEA#: RN0563975
ANAB Testing Laboratory (AT-2868): ISO/IEC 17025:2017

Natalie Siracusa
Laboratory Director